



Sex Steroid Hormones Sildenafil 50mg For Male Erectile Dysfunction Treatment

Our Product Introduction

for more products please visit us on peptide-powder.com

Basic Information

- Place of Origin: China
- Brand Name: Hongbaiyi
- Certification: COA, HPLC MR
- Model Number: HBY-Sildenafil
- Minimum Order Quantity: 1KG
- Price: Negotiable
- Packaging Details: Aluminum Bag or 25KG/Febr Drum
- Delivery Time: 3-5 work days after your payment
- Payment Terms: , Western Union, T/T
- Supply Ability: 4000kg/Month



Product Specification

- Product Name: Sildenafil 50mg
- Cas No: 171599-83-0
- Synonyms: Sildenafil Citrate
- MF: C28H38N6O11S
- MW: 666.7
- Purity: >99.0%
- Appearance: White Powder
- Shelf Life: 2 Years
- Highlight: Male Erectile Dysfunction Treatment Sildenafil 50mg
, Sex Steroid Hormones Sildenafil 50mg



More Images



Product Description

Sex Steroid Hormones Sildenafil 50mg For Male Erectile Dysfunction Treatment



Basic Information form Of Sildenafil 50mg:

Name	Sildenafil 50mg
Cas No.	171599-83-0
MF	C28H38N6O11S
MW	666.7
Appearance	white powder
Purity	>99.0%
Shelf life	2 years

What Is Sildenafil 50mg?

Sildenafil citrate is the raw material of , treats erectile dys function and works by relaxing muscles and increases blood flow to particular areas of the body (in this case, the penis, specifically). Its effects last up to four hours. The most common side effects of are headache, facial flushing, and upset stomach. Rarely, blurred vision, or sensitivity to light may briefly occur.

As well as treating impotence, Sildenafil Citrate can also be effective in treating Pulmonary Arterial Hypertension (PAH). Similarly to how it acts to relax muscles of the penis, it relaxes arterial walls; therefore, reducing resistance and pressure in the arteries.

Sildenafil Citrate is solely active in relaxing muscles and increasing blood flow to the heart, lungs and penis due to PDE-5, yet vasodilation is not increased in other parts of the body.

Technical Data: In studies where was administered to over 3700 patients, 19-87 years old in world wide clinical trials. More than 550 patients received treatment post 1 year. 2.5% of the subjects and 2.3% of the placebo subjects reported adverse effects, which were all considered mild. These reported side effects included abnormal or blurred vision and increased sensitivity to light.

All other negative reactions reported, including URI, flu symptoms, back pain and arthralgia, occurred at a rate of less than 2% and equally common in the placebo and administered groups. Effects worsened and were reported more frequently as dosages increased. Other studies measured duration of sexually stimulated erection using a Rigiscan device. Duration of rigidity was increased by 60% with use.

Product Image Of Sildenafil 50mg:

**Applications Of Sildenafil 50mg:**

Sildenafil citrate, sold as , Revatio and under various other trade names, is a drug used to treat erectile dysfunction and pulmonary arterial hypertension (PAH). It was originally discovered by Pfizer scientists Andrew Bell, David Brown, and Nicholas Terrett.

The primary indication of sildenafil is treatment of erectile dysfunction (inability to sustain a satisfactory erection to complete intercourse). Its use is now standard treatment for erectile dysfunction in all settings, including diabetes.

In clinical trials, the most common adverse effects of sildenafil use included headache, flushing, dyspepsia, nasal congestion and impaired vision, including photophobia and blurred vision. Some sildenafil users have complained of seeing everything tinted blue (cyanopsia). Some complained of blurriness and loss of peripheral vision. In July 2005, the FDA found that sildenafil could lead to vision impairment in rare cases and a number of studies have linked sildenafil use with nonarteritic anterior ischemic optic neuropathy.

Rare but serious adverse effects found through postmarketing surveillance include priapism, severe hypotension, myocardial infarction (heart attack), ventricular arrhythmias, stroke, increased intraocular pressure, and sudden hearing loss. As a result of these postmarketing reports, in October 2007, the FDA announced that the labeling for all PDE5 inhibitors, including sildenafil, required a more prominent warning of the potential risk of sudden hearing loss.

Medical Uses

- 1) Sexual dysfunction, erectile dysfunction
- 2) Pulmonary hypertension
- 3) Antidepressant-associated sexual dysfunction
- 4) Altitude sickness
- 5) Pulmonary arterial hypertension (PAH)

Package and Shipping Of Sildenafil 50mg:

Under 25kg: inner: A PE bag in aluminum foil bag; Outside: carton

Over 25kg: inner: Double PE bags; Outside: 25kg/ fibre drum

Shipping:

With 3-5 days after your payment



FAQ Of Sildenafil 50mg:

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is 1kg.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment.

Q3: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer a better price for you.

Q4: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.



Shaanxi Hongbaiyi Biotech Co., Ltd.



18192109180



tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.