



Mt-2 Peptide Body Building Human Growth Hormone Melanotan-2/ Melanotan II 121062-08-6

Our Product Introduction

for more products please visit us on peptide-powder.com

Basic Information

- Place of Origin: China
- Brand Name: Hongbaiyi
- Certification: COA, HPLC MR
- Model Number: HBY-Melanotan 2
- Minimum Order Quantity: 5 box
- Price: US\$ 48-56 /box
- Packaging Details: 10mg/vial, 10vials/box
- Delivery Time: 3-5 work days after your payment
- Payment Terms: , Western Union, T/T
- Supply Ability: 3000kg/Month



Product Specification

- Peptide Name: Melanotan 2
- CAS No.: 121062-08-6
- Peptide Purity: >99.2%
- Storage: 2-8°C
- Molecular Formula: C50H69N15O9
- Molecular Weight: 1024.2
- Appearance: White Lyophilized Powder
- Shelf Life: 2 Years



More Images



Product Description

Mt-2 Peptide Body Building Human Growth Hormone Melanotan-2/ Melanotan II 121062-08-6



Basic Information Form of Melanotan 2

Name	Melanotan 2
CAS NO.	121062-08-6
Purity	>99.2%
MW	1024.2
MF	C50H69N15O9
Appearance	White lyophilized powder
Storage	2-8°C

Product Description Of Melanotan 2

Melanotan II (also known as MT-II or MT-2) is an injectable peptide hormone used to promote tanning. MT-II works by stimulating alpha-melanocyte receptors, which promotes formation of melanin in response to sun exposure. When a substantial amount of MT-II has been taken within recent "memory" of the skin cells, an individual tans as if he were a genetically darker type.

Melanotan is not a treatment or cure for anything. Nor should it be considered a preventative treatment to skin cancer. Despite this tanning peptide being known to protect the skin through the natural tanning process, it is not in and of itself a guaranteed full proof UV shield. However, it is a great way for those who don't tan easily to get sun-kissed all year long with minimal exposure to the sun.

Melanotan II was developed originally as potential preventative treatments for various forms of skin cancer. It was thought that by artificially stimulating the internal tanning process among members of the population that were at high risk to develop skin cancer due to sun exposure that one may be able to lower the chances of these individuals from developing the disease later in life.

Along with the benefits of providing a tan without the need for extensive exposure to sunlight as well as improved sexual performance and/or desire, Melanotan II also may help to decrease the appetite via targeting an appetite-suppression receptor in the brain. This effect is not an overwhelming one but is noticeable for the majority of users and desirable for many. The duration of the tanning effect of the drug once a user ceases administering it will once again depend on several factors.

The majority of users, however, will notice that the tan achieved with the drug will fade and become unnoticeable within four to eight weeks after ceasing the administration of the drug. For most individuals, during the loading phase with the hormone, a range of between 0.015 to 0.02 milligrams per kilogram of body weight per injection should be sufficient. These injections would take place anywhere from twice daily to as infrequently as once every other day or longer. For the maintenance phase, many individuals will find that a dose of approximately 0.01 milligrams per kilogram of body weight administered once every few days should be sufficient to maintain the effects of the hormone.

Product Image of Melanotan 2



Application of Melanotan 2

A few synthetic analogues of α -MSH have been investigated for their apparent photoprotective effects against ultraviolet (UV) radiation from the sun, namely Melanotan (afamelanotide) and Melanotan II, referred to as Melanotan 2. Bremelanotide, another analogue of α -MSH similar to Melanotan 2, is currently under development for the treatment of sexual dysfunction. All of these melanotan peptides have significantly greater potencies than α -MSH, but with distinctive selectivity peptide profiles

Taking too much M2 can make you somewhat yellowish, so you need to start slowly with lower doses and move your way up. Peptides
Benefits: Minimal UV Exposure: MT2 still requires exposure to sunlight to be effective, however it requires significantly less time to develop a tan than without the peptide. Flexibility: Users can take a small loading dose and continue dosing until they reach their desired pigmentation, after which time they only need to dose once every couple of weeks to keep the same pigment. Lasting Tan: Even if dosage is stopped entirely, a warm tan can last for months on end without exposure to the sun. By contrast, tans developed naturally fade in around a month.

Benefits of Melanotan 2

Lasting Tan: Even if dosage is stopped, a warm sun-kissed tan can last for months at a time without any exposure to the sun. Conversely, tans developed naturally fade in around a month's time.

Flexibility of Use: Able to take a small loading dose with continued dosing until desired skin pigmentation is achieved. Once achieved only need to dose once every couple of weeks to maintain same pigment.

Reduced exposure to sunlight (UV rays): Melanotan still needs exposure to sunlight to be effective. However it will allow the user a significant reduction in time to develop desired tan.

Melanotan II requires cumulative dosing to be effective. Depending on the individual, needed cumulative dose will typically be from 10 to 40 mg, with fairer individuals usually requiring amounts at the higher end of the range. Depending on the total amount needed and the daily dosing suitable for the individual, MT-II injections will need to begin at least a week prior to a need for improved tanning. More typically, MT-II use should begin at least a month prior to such need.

Melanotan II can also be used on a cycled basis to maintain improved ability to tan. Further, Melanotan II can be used on occasion for prosexual effect.

For a bodybuilder planning to compete on stage, there is a considerable amount of time and attention to detail committed before they are ready to compete. Being muscled up and defined is only accentuated by a nice tan to make lines and definitions pop out and become more evident to viewers and judges. Enter the heptapeptide Melanotan II, now bodybuilders can actually protect themselves from over exposure to the sun while boosting melanin. This results in a darker and more tanned complexion. When Melanotan II is added to a peptide protocol leading up to a show, it will boost melanin levels, resulting in tanner skin; in addition, it will increase fat loss and muscle hardness.

Package and Shipping of Melanotan 2

Package: 10mg/vial, 10vials/box

Shipping: With 3-5 days after your payment



FAQ of Melanotan 2

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment.

Q3: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer a better price for you.

Q4: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.



Shaanxi Hongbaiyi Biotech Co., Ltd.



18192109180



tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.