

121062-08-6 Body Building Petide MT-2 Melanotan II For Skin Tanning

Basic Information

Place of Origin: China
Brand Name: Hongbaiyi
Certification: COA, HPLC MR
Model Number: HBY-Melanotan 2

• Minimum Order Quantity: 5 box

• Price: US\$ 48-58 /box

Packaging Details: 10mg/vial, 10vials/box

Delivery Time: 3-5 work days after your payment
 Payment Terms: MoneyGram, Western Union, T/T

• Supply Ability: 3000kg/Month



Product Specification

Peptide Name: Melanotan 2
CAS No.: 121062-08-6
Peptide Purity: >99.3%
Molecular Formula: C50H69N15O9

Molecular Weight: 1024.2

Appearance: White Lyophilized Powder

Storage: 2-8°CShelf Life: 2 Years



More Images









Product Description

121062-08-6 Body Building Petide MT-2 Melanotan II For Skin Tanning



Basic Information Form of Melanotan 2

Name	Melanotan 2
CAS NO.	121062-08-6
Purity	>99.3%
MW	1024.2
MF	C50H69N15O9
Appearance	White lyophilized powder
Storage	2-8°C

Product Description Of Melanotan 2

Melanotan 2 is a synthetic melanocortine which mimics this natural process. It acts as a hormonal catalyst encouraging the body's skin cells to produce more melanin. In this way, the skin is protected. Tanning can take place much more quickly without spending hours in the sun with the possible negative effects it can have on the skin and long-term health.

Although some companies claim that Melanotan 2 can stop skin cancer, this is misleading. What it does is to limit damage to the skin by the production of melanin and the protection of deep skin pigmentation in the form of a tan.

Once peptides have been reconstituted, they must be kept refrigerated. For this reason, like all our peptides Melanotan 2 Norway is sold in the form of lyophilized powder. Before being used, it must be mixed with bacteriostatic water. This keeps the peptide fresh for longer and prevents bacteria from developing. After reconstitution, it must be stored in the fridge.

Melanotan II (also known as MT-II or MT-2) is an injectable peptide hormone used to promote tanning. MT-II works by stimulating alphamelanocyte receptors, which promotes formation of melanin in response to sun exposure. When a substantial amount of MT-II has been taken within recent "memory" of the skin cells, an individual tans as if he were a genetically darker type.

Melanotan II analog of alpha-melanocyte stimulating hormone (a-MSH). Melanotan peptides are safe and efficacious with growing long term data. Melanotan 2 is a freeze dried peptide sealed in a sterile multi-use vial. Tanning injections of synthetic potent a-MSH allow for development of photo-protective suntans in all skin types.

Product Image of Melanotan 2



Application of Melanotan 2

- 1. It's a kind of nutritional supplement.
- 2. It can improve the aerobic metabolism of the muscle and greatly enhance muscle strength and endurance from diet alone.
- 3. It can be used as nutrition enhancer.
- 4. It's one of the most popular and effective nutritional supplements as well as the indispensable product for bodybuilders.
- 5. It is also widely used by other athletes, such as football players, basketball players and so on.

Melanotan II is typically provided in vials containing 10 mg of lyophilized (freeze-dried) powder. The vials are reconstituted with a convenient amount of bacteriostatic or sterile water, added to the vial by syringe. An example convenient amount of water is 2.5 mL. When this amount of water is used, the resulting solution contains 4 mg of MT-II per mL. If for example wishing to take a dose of 1 mg, a volume of 0.25 mL, or "25 IU" as marked on an insulin syringe, would be taken by injection. Injection may be subcutaneous, intramuscular, or intravenous, according to personal preference.

Injection typically is only once per day, but where a person is first trying the drug and judging tolerance, injection may be divided into two smaller amounts per day.

Typical dosage range is 0.5 to 2.0 mg/day, with a preferred range of 0.5 to 1.0 mg/day. However, it's best to first assess tolerance with lower dosing of 0.25 mg at a time.

After reconstitution, a Melanotan II vial should preferably be consumed entirely within 30 days. Prior to reconstitution, MT-II should be stored in the refrigerator or freezer, but it's acceptable for it to be shipped without refrigeration.

Use generally should be discontinued if MT-II, in the individual case, causes problems with increased growth, number, or darkness of moles.

Melanotan II's effect is fairly long-lasting. It can even be the case that it takes a year or more for a cycle's effect to largely disappear. Use of maintenance cycles can maintain effect indefinitely. As a rule of thumb, maintenance typically requires about 2 to 3 times as much MT-II per year as was needed for the first cycle. This can be taken either as a total of 2 to 3 cycles per year done in the same way as the initial cycle, or any more frequent dosing pattern providing this total amount of MT-II per year.

Benefits of Melanotan 2

The effects of Melanotan two revolve around nothing more than tanning and possible erectile dysfunction relief. A darker and deeper tan may be noticed in a few days (assuming one is also tanning) and should produce notable results in a few weeks. The longer one uses MT-2 the darker he will get.

The effects of Melanotan II on erectile dysfunction take approximately 4-6 hours to take effect and should last 6-12 hours depending on individual response. Timing is important if used for this purpose. However, there are those that run small daily to every other day doses in order to provide a maintenance relief, but this can prove problematic to the skin if not careful.

Package and Shipping of Melanotan 2

Package: 10mg/vial, 10vials/box

Shipping: With 3-5 days after your payment



FAQ of Melanotan 2

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card? A: Yes. VISA business credit card is in our payment.

Q3: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer a better price for you.

Q4: How long does it take to me if I order? A: About 3-5 days upon recepient of payment.

Q5: What kind of transportation do you have?

 $\hbox{A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.}\\$



Shaanxi Hongbaiyi Biotech Co., Ltd.





tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.