



Human Growth Hormone Peptide Melanotan II For Muscle Building CAS 121062-08-6

Our Product Introduction

for more products please visit us on peptide-powder.com

Basic Information

- Place of Origin: China
- Brand Name: Hongbaiyi
- Certification: COA, HPLC MR
- Model Number: HBY-Melanotan 2
- Minimum Order Quantity: 5 box
- Price: US\$ 45-57/box
- Packaging Details: 10mg/vial, 10vials/box
- Delivery Time: 3-5 work days after your payment
- Payment Terms: , Western Union, T/T
- Supply Ability: 3000kg/Month



Product Specification

- Peptide Name: Melanotan 2
- CAS No.: 121062-08-6
- Peptide Purity: >99.6%
- Appearance: White Lyophilized Powder
- Storage: 2-8°C
- Molecular Formula: C50H69N15O9
- Molecular Weight: 1024.2
- Shelf Life: 2 Years



More Images



Product Description

Human Growth Hormone Peptide Melanotan II For Muscle Building CAS 121062-08-6



Basic Information Form of Melanotan 2

Name	Melanotan 2
CAS NO.	121062-08-6
Purity	>99.6%
MW	1024.2
MF	C50H69N15O9
Appearance	White lyophilized powder
Storage	2-8°C

What Is Melanotan 2

Melanotan 2 (also referred to as Melanotan II) is a synthetically produced variant of a peptide hormone naturally produced in the body that stimulates melanogenesis, a process responsible for pigmentation of the skin. This peptide hormone, called alpha-Melanocyte stimulating hormone or MSH, activates certain melanocortin receptors in the process of exerting its effects. Indeed, MSH also exerts potent influence over lipid metabolism, appetite, and sexual libido via these melanocortin receptors. As a result, Melanotan 2 has been shown in studies to exhibit appetite suppressant, lipolytic, and libido-enhancing effects in addition to promoting skin tanning. Melanotan 2 has been researched extensively for use in protecting against the harmful effects of ultraviolet radiation from sunlight due to its melanogenesis-stimulating properties.

Additionally, Melanotan 2 and a similar synthetically produced variant, known as PT-141, have been studied at length as a potential remedy for the treatment of sexual dysfunction; specifically, male erectile dysfunction.

Product Image of Melanotan 2



When to use Melanotan II

Melanotan II requires cumulative dosing to be effective. Depending on the individual, needed cumulative dose will typically be from 10 to 40 mg, with fairer individuals usually requiring amounts at the higher end of the range. Depending on the total amount needed and the daily dosing suitable for the individual, MT-II injections will need to begin at least a week prior to a need for improved tanning. More typically, MT-II use should begin at least a month prior to such need.

Melanotan II can also be used on a cycled basis to maintain improved ability to tan.

Further, Melanotan II can be used on occasion for prosexual effect.

How to use Melanotan II for tanning

Melanotan II is typically provided in vials containing 10 mg of lyophilized (freeze-dried) powder. The vials are reconstituted with a convenient amount of bacteriostatic or sterile water, added to the vial by syringe. An example convenient amount of water is 2.5 mL. When this amount of water is used, the resulting solution contains 4 mg of MT-II per mL. If for example wishing to take a dose of 1 mg, a volume of 0.25 mL, or "25 IU" as marked on an insulin syringe, would be taken by injection. Injection may be subcutaneous, intramuscular, or intravenous, according to personal preference.

Injection typically is only once per day, but where a person is first trying the drug and judging tolerance, injection may be divided into two smaller amounts per day.

Typical dosage range is 0.5 to 2.0 mg/day, with a preferred range of 0.5 to 1.0 mg/day. However, it's best to first assess tolerance with lower dosing of 0.25 mg at a time.

After reconstitution, a Melanotan II vial should preferably be consumed entirely within 30 days. Prior to reconstitution, MT-II should be stored in the refrigerator or freezer, but it's acceptable for it to be shipped without refrigeration.

Use generally should be discontinued if MT-II, in the individual case, causes problems with increased growth, number, or darkness of moles.

Melanotan II's effect is fairly long-lasting. It can even be the case that it takes a year or more for a cycle's effect to largely disappear. Use of maintenance cycles can maintain effect indefinitely. As a rule of thumb, maintenance typically requires about 2 to 3 times as much MT-II per year as was needed for the first cycle. This can be taken either as a total of 2 to 3 cycles per year done in the same way as the initial cycle, or any more frequent dosing pattern providing this total amount of MT-II per year.

Package and Shipping of Melanotan 2

Package: 10mg/vial, 10vials/box

Shipping: With 3-5 days after your payment



FAQ of Melanotan 2

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment.

Q3: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer a better price for you.

Q4: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.





18192109180



tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.