



Effectively Stimulating Human Growth Hormone Steroid Oxytocin White Powder 2mg

Our Product Introduction

for more products please visit us on peptide-powder.com

Basic Information

- Place of Origin: China
- Brand Name: Hongbaiyi
- Certification: COA, HPLC MR
- Model Number: HBY-Oxytocin
- Minimum Order Quantity: 5box
- Price: US \$ 31-38/ box
- Packaging Details: 2mg/vial, 10vials/box
- Delivery Time: 3-5 work days after your payment
- Payment Terms: , Western Union, T/T
- Supply Ability: 3000kg/Month



Product Specification

- Name: Oxytocin
- CAS No.: 50-56-6
- MF: C43H66N12O12S2
- MW: 1007.193
- Purity: 99%
- Appearance: White Lyophilized Powder
- Storage: Closed, Below 2 ~ 8 Preservation




More Images



Product Description

Effectively Stimulating Human Growth Hormone Steroid Oxytocin White Powder 2mg



Basic Information Form of Oxytocin

Name	Oxytocin
CAS NO.	50-56-6
MW	1007.193
MF	C43H66N12O12S2
Appearance	White Lyophilized Powder
Purity	99%
Stability	2 years

What is oxytocin?

Oxytocin is also called Pitocin, is a kind of uterine contraction medicine, growth hormone peptides, can be extracted from animal posterior pituitary or chemical synthesis, chemical synthesis including on vasopressin, no booster effect, selective excite uterine smooth muscle, strengthen its contracting, uterus is most sensitive to oxytocin (estrogen secretion increase) when parturient, immature uterus have no reactivity to this product, pregnancy early or middle uterine have low reactivity to oxytocin, late pregnancy is gradually increased, and before the antepartum, the reactivity is the highest. Small dose can strengthen the smooth muscle contraction rhythm at the bottom of the uterine, to reinforce the contraction force, contraction frequency, shrinkage properties similar to those in natural birth, and keep the polarity and symmetry, so the clinical used in hastening parturition, inducing abortion.

Large dose make uterine muscle tetanic contraction, clinical to oppression blood vessels between muscle fibers, to prevent and treatment of postpartum hemorrhage and postpartum subinvolution, and has the effect to promote lactation, the breast duct contraction, prompting milk from the breast, but cannot increase milk secretion, only can promote the milk. It is important to strictly master the dose and dripping speed for hastening parturition or inducing abortion, lest cause tetanic uterine contractions, killing fetal distress or uterine rupture. Every cephalopelvic disproportion, malposition or other abnormality, it is forbidden, abnormal uterine contraction, has a history of cesarean section and 3 or more times a multipara is forbidden.

Product Image of Oxytocin



Application Of Oxytocin

In recent years , it is found that this product has good effect on pulmonary hemoptysis , and vagus nerve after resection or relaxation of gastrointestinal function after abdominal surgery . This product can absorb from the oral mucosa , and selectively acts on the smooth muscle of the uterus , make uterine contractions . Apply to hastening parturition and slow painful . Effect is the same as the static drops of oxytocin . For contracted pelvis , has a history of uterine surgery (including cesarean section), pain excessive hyperfunction, birth canal obstruction , severe placental abruption , maternal pregnancy poisoning are prohibited .

Common used with ergot preparations , treatment for postpartum hemorrhage ; Inevitable abortion ; Mainly used in late pregnancy induced labor and intrapartum uterine contractions fatigue caused by prolonged labor ; Used for oxytocin sensitive test ; Used for oxytocin irritability test ; Assist in postpartum milk discharge ; Haemoptysis . Postoperative gastrointestinal peristalsis slowly .

Usage and dosage Of Oxytocin

Odinopoeia or oxytocin intravenous drip, once the 2.5 - 5 units, with Sodium Chloride Injection diluted to each 1ml contains 0.01 units.

Intravenous drip of the beginning of every minute of not more than 0.001 to 0.002 units, each 15 - 30 minutes increased 0.001 to 0.002 units, to achieve the contractions and normal childbirth is similar, the fastest per minute of not more than 0.02 units, usually 0.002 to 0.005 units per minute.

Control postpartum hemorrhage per minute intravenous drip of 0.02 - 0.04 units, expulsion of the placenta after intramuscular injection of 5 to 10 units.

Lactogenic just before a 2 - 3 minutes, with nasal drops a 3 drop, drop into one side or both sides of the nostril.

Preparation and specification : oxytocin injection (1) 0.5ml:2.5 units (2) 1ml:5 (3) 1ml units 10 units;

Oxytocin nasal drops 1ml:40 units. The induction of labor or prenatal uterine atony: in 2.5-5 units in 500ml 5% glucose for intravenous drip slowly (10-30 drops / minute), maximum time 20 units. (2). Prevention of postpartum hemorrhage: intramuscular injection of 5-10 on each unit, or 5% glucose solution for intravenous drip.

The main contraindication, heart disease, a caesarean history and more than three fetal maternal disable.

Oxytocin (Oxt) is a medication and hormone.

As a medication, it is used to cause contraction of the uterus, which is used to start labor, increase the speed of labor, and to stop bleeding following delivery. It is used either by injection into a muscle or into a vein.

Medical uses can result in excessive contraction of the uterus that can cause distress in an unborn baby. Common side effects in the mother include nausea and a slow heart rate. Serious side effects include water intoxication with an excessive dose and uterus rupture. Allergies may also occur.

Oxytocin is normally produced in the hypothalamus and stored in the posterior pituitary gland. It plays a role in social bonding, sexual reproduction in both sexes, and during and after childbirth.

It is released due to stretching of the cervix and uterus during labor and with stimulation of the nipples from breastfeeding. This helps with birth, bonding with the baby, and milk production.

Package and Shipping of Oxytocin

Package: 2mg/vial, 10vials/box

Shipping: With 3-5 days after your payment



FAQ of Oxytocin

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment.

Q3: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q4: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer a better price for you.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.



Shaanxi Hongbaiyi Biotech Co., Ltd.



18192109180



tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.