



Body Weight GH Peptide Tesamorelin 2Mg/ Vial

Our Product Introduction

for more products please visit us on peptide-powder.com

Basic Information

- Place of Origin: China
- Brand Name: Hongbaiyi
- Certification: COA, HPLC MR
- Model Number: HBY-Tesamorelin
- Minimum Order Quantity: 5box
- Price: US\$ 53-59 / box
- Packaging Details: 2mg/vial, 10vials/box
- Delivery Time: 3-5 work days after your payment
- Payment Terms: , Western Union, T/T
- Supply Ability: 4000kg/Month



Product Specification

- Peptide Name: Tesamorelin
- CAS No.: 218949-48-5
- MF: C221H366N72O67S
- MW: 5136
- Peptide Purity: 99.1%
- Appearance: White Lyophilized Powder
- Highlight: **Tesamorelin Human Growth Peptides, 2Mg/ Vial Tesamorelin Peptides**



More Images



Product Description

Body Weight GH Peptide Tesamorelin 2Mg/ Vial

Basic Information Form of Tesamorelin

Product Name	Tesamorelin
Cas No.	218949-48-5
Appearance	White powder
Molecular Formula	C221H366N72O67S
Molecular Weight	5135.8
Fineness	99.1%
Shelf Life	2 years

What Is Tesamorelin

Tesamorelin is a synthetic peptide consisting of all 44 amino acids of hGRF and a trans-3-hexenoic acid group is added.

Tramadol (also known as Egrifta) is a synthetic form of growth hormone-releasing hormone for the treatment of HIV-associated lipodystrophy.

tendon fibroblasts in transwell filter migration assay revealed in a dose-dependent manner. BPC 157 also dose-dependent to accelerate the spread of tendon fibroblasts on petri dishes. F-actin formation was detected by FITC-phalloidin staining in fibroblasts treated with BPC 157. The protein expression and activation of FAK and puerarin were determined by Western blotting and the phosphorylation level of FAK and pudding protein was increased in a dose-dependent manner by BPC 157 while the total protein remained unchanged. In conclusion, BPC 157 promotes the in vitro growth of tendon fibroblasts from tendon explants, cell survival under stress, and in vitro migration of tendon fibroblasts, which may be mediated by activation of the FAK-Pseudo-protein pathway.

Responsible for pituitary stimulation. In 1999, researchers Goa and Prakash used sermorelin GH as a provocative testing method for endogenous G-hormone deficiency.

The most prominent feature of the study compound is to increase the quality of muscle tissue, reduce fat, increase bone tissue density, and even enhance the immune system function. It complies with some of the natural long chain GHrh amino segments. Sermorelin helps to convert the excess GH of the liver to IGF-1.

Product Image Of Tesamorelin



Application Of Tesamorelin

Tesamorelin is a peptide called growth hormone releasing factor (GHRF), which produces and spreads growth hormone in the body, which helps to increase metabolism, reduce abdominal fat, improve body shape and use energy.

Tesamorelin is a synthetic growth hormone-releasing factor that stimulates the pituitary secretion of growth hormone; this indirect method appears to maintain a more stable natural level, such as the CJC-1295 DAC. Clinical trials have shown that tesamorelin significantly reduces abdominal fat than gh itself has less side effects, although abdominal fat may be returned after Tesamorelin withdrawal.

How should the product be used?

Aspirin injection as a powder with the liquid provided with your product mix and subcutaneously (under the skin). Usually once a day. Approximately at the same time every day using tesamorelin injection. Please follow the instructions on the prescription label carefully and ask your doctor or pharmacist to explain any part you do not understand. Use tesamorelin injection exactly as instructed. Do not use it more or less to use it or use it more often than your doctor prescribed.

Before you first use tiamolin injection, read the manufacturer's information on the product. Your medicine has two boxes: a box with a tesamorelin injection vial, and the other with a liquid vial with a product, a needle and a syringe. Ask your pharmacist or doctor to tell you how to mix and inject product. If you have any questions about how to inject this medicine, be sure to ask your pharmacist or doctor.

You should inject tesamorelin into the belly of the belly (the abdomen button). Do not inject tesamorelin into the navel or any scar, redness, irritation, infection or bruises in the skin area. Do not inject tesamorelin into any hard-hit area with previous injections. Select a different area for each injection to prevent bruising and irritation. Track the area where you injected tesamorelin, do not inject the same place twice in a row.

After using the tesamorelin mixture, use the product immediately. Do not store terraclar injection after mixing. Treat any use of tesamorelin injections and any additional liquid used to mix the injection.

You should always be in the mix, before the injection has been looking at tesamorelin injection solution (liquid). The solution should be clear and colorless, no particles. If the color is cloudy, contains particles, or the expiration date of the bottle is over, do not use tamoxolin injection.

Do not use syringes or needles repeatedly, do not share needles with another person. Even if the needle is replaced, do not share the syringe with another person. Sharing the needles and syringes can cause certain diseases such as the spread of HIV. If you stab someone with a needle, please tell him to talk to his health care provider right away. Treating any remaining tesamorelin injections, additional liquids for mixing the injections, and used needles and syringes in a puncture resistant container made of hard plastic or metal with a lid. Do not throw discarded needles or syringes into the trash. Ask your doctor or pharmacist about how to handle the puncture container and all other materials .

Package and Shipping of Tesamorelin

Package: 2mg/vial, 10vials/box

Shipping: With 3-5 days after your payment



FAQ of Tesamorelin

Q1: Do you Accept Sample Order?

A: Yes. The smallest order we accept is one box.

Q2: Do you accept VISA business credit card?

A: Yes. VISA business credit card is in our payment .

Q3: Is there any discount?

A: Yes, if you want to purchase larger quantity, we can offer better price for you.

Q4: How long does it take to me if I order?

A: About 3-5 days upon receipt of payment.

Q5: What kind of transportation do you have?

A: We have many ways of transportations, eg: Air, Sea, Special Lines, TNT, FEDEX, EMS, ect.



Shaanxi Hongbaiyi Biotech Co., Ltd.



18192109180



tracy@sxhongbaiyi.com



peptide-powder.com

Hengjia Business Building, No.115 Weiyang Road, E&T Development Zone, Xi'an, Shaanxi, China.